

# W1 Winding machine



## ELECTRICAL AND PROTECTION

Power supply required 240V. 10A. A.C.

.75kw single speed 4 pole clutch motor with foot pedal.

Motor start circuit breaker with short circuit and thermal overload protection.

A safety tripbar switches off the electrical supply if the operator goes forward onto the machine.

## MECHANICAL FEATURES

A mechanical counter is fitted to measure in metres (max 9999.9m).

Roll on roll off loading of cable drums eliminates lifting.

Adjustable four roller system will allow for slightly damaged drums.

This winder is designed to run parallel to cable racking.

A coil winding and small reel attachment winding drum is supplied.

## DRUM CAPACITY

Maximum size: Diameter 900mm  
x Width 750mm

Maximum loading: 450kg

## DIMENSIONS AND WEIGHT

Length	194cm
Width	134cm
Height	103cm
Weight	200kg



## WINDING AND MEASURING EQUIPMENT

Unit 1, 54 Stanbel Road, Salisbury Plain South Australia 5109

Telephone +61 8 8258 1724 • Fax +61 8 8258 9560 • [info@starroll.com](mailto:info@starroll.com) • [www.starroll.com](http://www.starroll.com)

Due to continued development, specifications may change without notice. All text and images © Starroll Pty Ltd. Unauthorised duplication without the consent of the owner is prohibited.